











Ydeevnedeklaration (DoP)
DoP nr. JL2026142ED
26

Varetypens unikke identifikationskode:	ALECO-77/1G0, ALECO-77/1G0-SE, ALECO-77/1G0-TE, ALECO-77/1G0-SE-TE, ALECO-77/2G0, ALECO-77/2G0-SE, ALECO-77/2G0-TE, ALECO-77/2G0-SE-TE, ALECO-77/1G1, ALECO-77/1G1-S45, ALECO-77/1G1-SE-TE, ALECO-77/1G1-SE-TE, ALECO-77/2G1, ALECO-77/2G1-SE, ALECO-77/2G1-TE, ALECO-77/2G1-SE-TE, ALECO-77/1G2, ALECO-77/1G2-S45, ALECO-77/1G2-SE-TE, ALECO-77/1G2-SE-TE, ALECO-77/2G2, ALECO-77/2G2-SE, ALECO-77/2G2-TE, ALECO-77/2G2-SE-TE	
Type:	YDERDØR ADVANCE-LINE Enkeltfløjet dør uden glasfyldning, Enkeltfløjet dør med glasfyldning Dobbeltfløjet dør uden glasfyldning, Dobbeltfløjet dør med glasfyldning med sidelys og/eller overlys	
Tilsigtet anvendelse:	Yderdør til boliger og erhverv	
Fabrikant:	JELD-WEN Sverige AB, Förrådsgatan, SE - 265 81 ÅSTORP, Sweden www.jeld-wen.biz	
Bemyndiget repræsentant:	N/A	
AVCP System 3	Notificeret prøvningslaboratorium / Notificeret organ nr. A = RISE Research Institutes of Sweden AB / nr. 0402 B = TÜV Eesti OÜ / nr. 1526 C = Force Technology / nr. 0199 D =	Harmoniseret teknisk specifikation EN 14351-1:2006 +A2:2016











Deklareret ydeevne		ADVANCE-LINE								Prøvningslaboratorium
		Enkeltfløjet dør uden glasfyldning (1G0)				Dobbeltfløjet uden glasfyldning (2G0)				
		ALECO-77/1G0	ALECO-77/1G0-SE	ALECO-77/1G0-TE	ALECO-77/1G0-SE-TE	ALECO-77/2G0	ALECO-77/2G0-SE	ALECO77/2G0-TE	ALECO-77/2G0-SE-TE	
			+ sidelys	+ toplight	+ sidelight + toplight		+ sidelys	+ toplight	+ sidelight + toplight	
										
AVCP System 3	Vandtæthed (Udadgående)	4A/ 7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B
	Vandtæthed (Indadgående)	3A/7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Farlige stoffer	-	-	-	-	-	-	-	-	-
	Modstandsevne overfor vindlast (Udadgående)	C4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	B
	Modstandsevne overfor vindlast (Indadgående)	C3	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Stødpåvirkning	NPD	NPD	NPD	NPD					-
	Sikkerhedsanordningers bæreevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Højde	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Frigørelsessevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Akustiske egenskaber	29 (-2; -4) dB	30 (-2; -4) dB	29 (-2; -4) dB	30 (-2; -4) dB	NPD	NPD	NPD	NPD	C
	Termisk transmissionskoefficient	0,67 W/(m ² ·K)	0,74 W/(m ² ·K)	0,71 W/(m ² ·K)	0,78 W/(m ² ·K)	0,77 W/(m ² ·K)	0,84 W/(m ² ·K)	0,81 W/(m ² ·K)	0,87 W/(m ² ·K)	A
	Termisk* transmissionskoefficient**	NPD	NPD	NPD	NPD	0,70 W/(m ² ·K)	0,74 W/(m ² ·K)	0,83 W/(m ² ·K)	0,78 W/(m ² ·K)	A
	Strålingsegenskaber g	W/(m ² ·K)	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Strålingsegenskaber LT	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
Lufttæthed	4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B	

*Totalt areal ≤ 3,6 m² (1,23 m x 2,18 m)

** Totalt areal > 3,6 m² (2,00 m x 2,18 m)











Deklareret ydeevne		ADVANCE-LINE								Prøvningslaboratorium
		< 31 % enkeltfløjet dør uden glasfyldning (1G1)				< 28 % dobbeltfløjet uden glasfyldning (2G1)				
		ALECO-77/1G1	ALECO-77/1G1-S45	ALECO-77/1G1-SE-TE	ALECO-77/1G1-SE-TE	ALECO-77/2G1	ALECO-77/2G1-SE	ALECO-77/2G1-TE	ALECO-77/2G1-SE-TE	
			+ sidelys	+ toplight	+ sidelight + toplight		+ sidelys	+ toplight	+ sidelight + toplight	
										
AVCP System 3	Vandtæthed (Udadgående)	4A/ 7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B
	Vandtæthed (Indadgående)	3A/7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Farlige stoffer	-	-	-	-	-	-	-	-	-
	Modstandsevne overfor vindlast (Udadgående)	C4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	B
	Modstandsevne overfor vindlast (Indadgående)	C3	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Stødpåvirkning	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Sikkerhedsanordningers bæreevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Højde	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Frigørelsessevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Akustiske egenskaber	29 (-1; -3) dB	30 (-1; -4) dB	29 (-1; -3) dB	30 (-1; -3) dB	NPD	NPD	NPD	NPD	C
	Termisk transmissionskoefficient*	0,78 W/(m ² ·K)	0,84 W/(m ² ·K)	0,82 W/(m ² ·K)	0,87 W/(m ² ·K)	0,92 W/(m ² ·K)	0,98 W/(m ² ·K)	0,96 W/(m ² ·K)	1,0 W/(m ² ·K)	A
	Termisk transmissionskoefficient**	NPD	NPD	NPD	NPD	0,83 W/(m ² ·K)	0,86 W/(m ² ·K)	1,0 W/(m ² ·K)	0,89 W/(m ² ·K)	A
	Strålingsegenskaber g	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Strålingsegenskaber LT	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
Lufttæthed	4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B	

*Totalt areal ≤ 3,6 m² (1,23 m x 2,18 m)

** Totalt areal > 3,6 m² (2,00 m x 2,18 m)



Deklareret ydeevne		ADVANCE-LINE								Prøvningslaboratorium
		≥ 31 % enkeltfløjet dør uden glasfyldning (1G2)				≥ 28 % dobbeltfløjet uden glasfyldning (2G2)				
		ALECO-77/1G2	ALECO-77/1G2-S45	ALECO-77/1G2-SE-TE	ALECO-77/1G2-SE-TE	ALECO-77/2G2	ALECO-77/2G2-SE	ALECO-77/2G2-TE	ALECO-77/2G2-SE-TE	
			+ sidelys	+ toplight	+ sidelight + toplight		+ sidelys	+ toplight	+ sidelight + toplight	
										
AVCP System 3	Vandtæthed (Udadgående)	4A/ 7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B
	Vandtæthed (Indadgående)	3A/7B	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Farlige stoffer	-	-	-	-	-	-	-	-	-
	Modstandsevne overfor vindlast (Udadgående)	C4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	B
	Modstandsevne overfor vindlast (Indadgående)	C3	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A
	Stødpåvirkning	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Sikkerhedsanordningers bæreevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Højde	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Frigørelsessevne	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Akustiske egenskaber	29 (-1; -3) dB	30 (-1; -4) dB	29 (-1; -3) dB	30 (-1; -3) dB	NPD	NPD	NPD	NPD	C
	Termisk transmissionskoefficient*	0,84 W/(m ² ·K)	0,89 W/(m ² ·K)	0,88 W/(m ² ·K)	0,92 W/(m ² ·K)	1,0 W/(m ² ·K)	1,1 W/(m ² ·K)	1,0 W/(m ² ·K)	1,1 W/(m ² ·K)	A
	Termisk transmissionskoefficient**	NPD	NPD	NPD	NPD	0,88 W/(m ² ·K)	0,92 W/(m ² ·K)	1,1 W/(m ² ·K)	0,94 W/(m ² ·K)	A
	Strålingsegenskaber g	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
	Strålingsegenskaber LT	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	-
Lufttæthed	4	NPD	NPD	NPD	NPD	NPD	NPD	NPD	A/B	

*Totalt areal ≤ 3,6 m² (1,23 m x 2,18 m)

** Totalt areal > 3,6 m² (2,00 m x 2,18 m)



Forkortelser:

DoP = Declaration of Performance/ Ydeevnedeklaration

AVCP = Systems of Assessment and Verification of Constancy of Performance / Systemer til vurdering og kontrol af ydeevnens konstans

NPD = No performance determined / ingen ydeevne fastlagt

N/A = not applicable / ikke relevant

Montering af dørklokke, dørkikkert eller dørbremse kan mindske den akustiske egenskab med op til 2 dB

Ydeevnen for den vare, der er anført ovenfor, er i overensstemmelse med den deklarerede ydeevne. Denne ydeevnedeklaration er udarbejdet i overensstemmelse med forordning (EU) nr. 305/2011 på eneansvar af den fabrikant, der er anført ovenfor.

Underskrevet for fabrikanten og på dennes vegne af:

Charlotte Mattsson,
VP, GM Northern Europe
(Navn og funktion)

Bromma **2026-03-24**
.....
(Udstedelsessted og -dato)

Charlotte Mattsson
Charlotte Mattsson (Mar 24, 2026 13:51:16 GMT+1)
.....
(Underskrift)

Glass codes	% of glass	Product series	Design names
1G0	0 %	ADVANCE-LINE CLASSIC	PUCCINI, RAVEL, GRIEG, BEETHOVEN
		ADVANCE-LINE NORDIC	JOKKMOKK, VISBY, HALMSTAD, STOCKHOLM
1G1	< 31 %	ADVANCE-LINE CLASSIC	SMETANA, IVES, MONTEVERDI, CORELLI, CLEMENTI, DEBUSSY, ROSSINI, ALBINONI, SCOTT, HÄNDEL, SCHUMANN
		ADVANCE-LINE NORDIC	MORA, BIZET, GEILO, RIBE, KÖPENHAMN, ALTA, MOLDE, KALMAR, NARVIK, OSLO, HELSINKI, ROVANIEMI, BERGEN, SKAGEN
		ADVANCE-LINE STATEMENT	TRACE, FLOW, SIGNUM, SOUL, GLINT, FRAME, ECHO, CORE
1G2	≥ 31 %	ADVANCE-LINE NORDIC	TROMSÖ
		ADVANCE-LINE STATEMENT	VIBE
		ADVANCE-LINE VISION	ASTRA, LYRA, SOLARA, AURORA, ALBA, LUMINA, NOVA
2G0	0 %	ADVANCE-LINE CLASSIC	PUCCINI, RAVEL



Glass codes	% of glass	Product series	Design names
		ADVANCE-LINE NORDIC	JOKKMOKK, VISBY, STOCKHOLM
2G1	< 28 %	ADVANCE-LINE CLASSIC	SMETANA, IVES, DEBUSSY, SCHUMANN
		ADVANCE-LINE NORDIC	KÖPENHAMN, MOLDE, KALMAR, NARVIK, OSLO, HELSINKI, BERGEN, SKAGEN
		ADVANCE-LINE STATEMENT	SOUL, GLINT, FRAME, VIBE, CORE, ECHO, TRACE, FLOW, SIGNUM
2G2	≥ 28 %	ADVANCE-LINE VISION	ASTRA, LYRA, SOLARA, AURORA, ALBA, LUMINA, NOVA,


JL2026142ED_da

Final Audit Report

2026-03-24

Created:	2026-03-23
By:	Anne Lasthein (alasthein@jeldwen.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAH1qDuXC-shc-C9VvzoKhQLPHiZw2bi4Y

"JL2026142ED_da" History

-  Document created by Anne Lasthein (alasthein@jeldwen.com)
2026-03-23 - 3:03:17 PM GMT
-  Document emailed to Charlotte Mattsson (cmattsson@jeldwen.com) for signature
2026-03-23 - 3:03:22 PM GMT
-  Email viewed by Charlotte Mattsson (cmattsson@jeldwen.com)
2026-03-24 - 12:50:45 PM GMT
-  Document e-signed by Charlotte Mattsson (cmattsson@jeldwen.com)
Signature Date: 2026-03-24 - 12:51:16 PM GMT - Time Source: server
-  Agreement completed.
2026-03-24 - 12:51:16 PM GMT